



ANALYTICAL TEST REPORT

1 The Manor Grove Centre, Vicarage Farm Road,
Boongate, Peterborough, PE1 5UH, UK
Email: contact@elscience.co.uk Tel: +44 (0) 1733 352 553 Website: www.elscience.co.uk

CUSTOMER	
The Mix Lair	
www.themixlair.com	
info@themixlair.com	

SAMPLE NAME	BATCH NUMBER	PRODUCTION DATE
Mandarin Mist 6 mg/mL	1505043	27/01/16
LAB SAMPLE ID	DATE OF ANALYSIS	ANALYST
1509337	28/01/16	J. Montgomery

TEST RESULTS:

ANALYTE	RESULT
Nicotine	5.97 mg/mL
Total Diacetyl	<0.01%
Acetylpropionyl	<0.01%
Acetoin	<0.05%

SUMMARY:

GC-MS analysis determined that nicotine was present in the submitted sample at a concentration of 5.97 mg/mL. Diacetyl and acetylpropionyl were not detected above the EL-Science compliance threshold of 0.01%. Acetoin was not detected above the EL-Science compliance threshold of 0.05%.

Authorised By:

Dr Jaydene Halliday BSc (Hons) MRSC
Chief Scientific Officer

Date: 05 February 2016