



ANALYTICAL TEST REPORT

1 The Manor Grove Centre, Vicarage Farm Road,
Boongate, Peterborough, PE1 5UH, UK

Email: contact@elscience.co.uk Tel: +44 (0) 1733 352 553 Website: www.elscience.co.uk

CUSTOMER	
Paul Green	
The Druid's Brew Ltd.	
9 Chestnut Court, Parc Menai, Bangor, Gwynedd, LL57 4FH	
07505900998	
thedruidsbrew@gmail.com	

SAMPLE NAME	BATCH NUMBER	PRODUCTION DATE
Bread of Heaven 12 mg	1550230	14/12/2015
LAB SAMPLE ID	DATE OF ANALYSIS	ANALYST
1509140	17/12/2015	J. Montgomery & S. Kang

TEST RESULTS:

ANALYTE	RESULT
Nicotine	13.06 mg/mL
Total Diacetyl	PASS
Acetylpropionyl	PASS
Acetoin	PASS

SUMMARY:

GC-MS analysis determined that nicotine was present in the submitted sample at a concentration of 13.06 mg/mL. Diacetyl and acetylpropionyl were not detected above the EL-Science compliance threshold of 0.01%. Acetoin was not detected above the EL-Science compliance threshold of 0.05%.

EL-Science Approval:

APPROVED

Authorised By:

Dr Jaydene Halliday BSc (Hons) MRSC
Chief Scientific Officer

Date: 22 December 2015

A "PASS" result means that the analyte was not detected in an amount that meets or exceeds the reporting limit.
A "FAIL" result means that the analyte was detected in an amount that does meet or exceed the reporting limit.