



# ANALYTICAL TEST REPORT

1 The Manor Grove Centre, Vicarage Farm Road,  
Boongate, Peterborough, PE1 5UH, UK  
Email: [contact@elscience.co.uk](mailto:contact@elscience.co.uk) Tel: +44 (0) 1733 352 553 Website: [www.elscience.co.uk](http://www.elscience.co.uk)

CUSTOMER	
Paul Green	
The Druid's Brew Ltd.	
9 Chestnut Court, Parc Menai, Bangor, Gwynedd, LL57 4FH	
07505900998	
<a href="mailto:thedruidsbrew@gmail.com">thedruidsbrew@gmail.com</a>	

SAMPLE NAME	BATCH NUMBER	PRODUCTION DATE
Bread of Heaven 6 mg	DB-1550240	01/03/2016
LAB SAMPLE ID	DATE OF ANALYSIS	ANALYST
1509463	07/03/2016	A. Brooke & S. Kang

## TEST RESULTS:

ANALYTE	RESULT
Nicotine	5.80 mg/mL
Total Diacetyl	PASS
Acetylpropionyl	PASS
Acetoin	PASS

## SUMMARY:

GC-MS analysis determined that nicotine was present in the submitted sample at a concentration of 5.80 mg/mL. Diacetyl and acetylpropionyl were not detected above the EL-Science compliance threshold of 0.01%. Acetoin was not detected above the EL-Science compliance threshold of 0.05%.

EL-Science Approval:

**APPROVED**

Authorised By:

Dr Jaydene Halliday BSc (Hons) MRSC  
Chief Scientific Officer

Date: 8<sup>th</sup> March 2016

A "PASS" result means that the analyte was not detected in an amount that meets or exceeds the reporting limit.  
A "FAIL" result means that the analyte was detected in an amount that does meet or exceed the reporting limit.