



# ANALYTICAL TEST REPORT

1 The Manor Grove Centre, Vicarage Farm Road,  
Boongate, Peterborough, PE1 5UH, UK

Email: [contact@elscience.co.uk](mailto:contact@elscience.co.uk) Tel: +44 (0) 1733 352 553 Website: [www.elscience.co.uk](http://www.elscience.co.uk)

## CUSTOMER

The Mix Lair

[www.themixlair.com](http://www.themixlair.com)

[info@themixlair.com](mailto:info@themixlair.com)

SAMPLE NAME	BATCH NUMBER	PRODUCTION DATE
Lime Sparkle 6 mg/mL	1505053	28/01/16
LAB SAMPLE ID	DATE OF ANALYSIS	ANALYST
1509347	28/01/16	J. Montgomery

## TEST RESULTS:

ANALYTE	RESULT
Nicotine	5.97 mg/mL
Total Diacetyl	<0.01%
Acetylpropionyl	<0.01%
Acetoin	<0.05%

## SUMMARY:

GC-MS analysis determined that nicotine was present in the submitted sample at a concentration of 5.97 mg/mL. Diacetyl and acetylpropionyl were not detected above the EL-Science compliance threshold of 0.01%. Acetoin was not detected above the EL-Science compliance threshold of 0.05%.

Authorised By:

Dr Jaydene Halliday BSc (Hons) MRSC  
Chief Scientific Officer

Date: 05 February 2016